



Proposal

Independence Twp Environmental Com.
286 Route 46 West
Great Meadows, NJ 07838

2/12/2019
No: 82019
Page 1 of 2

Job Location:

Independence Water testing
 Great Meadows, NJ 07838

Municipality: Independence Twp

County: Warren

Job Description

Drinking Water Sample Collection and Analysis:

Package Options: for samples collected during March 2019 - in block scheduling

Independence Twp Package # 1 \$ 325.00 for package (\$375.00 normally)
 Total Coliform (bacteria), E. Coli (bacteria), Nitrates, pH (field) , Iron, Manganese, Lead (flushed), Arsenic, VOCs (NJ PWTA set), Hardness (colorimetric).

Independence Twp Package #2 \$ 175.00 for package (\$ 215.00 normally)
 Total Coliform (bacteria), E. Coli (bacteria), Nitrates, Arsenic

Independence Twp add on package A \$ 245.00 for package (in addition to package 1 or 2) (\$295.00 normally)
 Gross Alpha, Uranium, Radon in water.

[All analysis and testing procedures will be conducted in full compliance to protocols set forth by the NJ DEP and the US EPA measurement methodology]

SERVICES:

- full service sample collection by our registered sampling technician
- lab analysis and written test result report
 (*turnaround time on standard drinking water samples is 6-12 business days.)
 (*turnaround time on radiological water results is approximately 18 - 25 business days)
- Payment terms: at time of sampling.
 (*Policy requires that payment be received prior to results being issued.)
- analysis pricing does not include NJ DEP E-2 filing, deliverable document packages or any other form of additional reporting of analytical information.

NOTES:

- These sample reports are not acceptable as the required PWTA sample report for title transfer or rental of the property.
- We are not responsible for operation of water treatment system or equipment, operating any valve that is not under regular (daily) use, change of sample location between 1st test and retesting, water system conditions, building conditions, non-compliance on site to testing conditions or invalid results.
- Site is to be made available at the times stated above, as well as personnel to readily assist our staff while on site throughout the structure. Inaccessible areas do not constitute a discount.
- We are not responsible for the improper handling of bottles containing preservatives or the damage that may be caused to person or property.
- Gross Alpha – samples with TDS above the 150 level to be analyzed - may be run on a shortened counting time to permit the efficient scheduling with-in the calculated counting window and efficient scheduling of equipment for the number of samples be analyzed in the given analyzation cycle.